

intimus 120 CP6

THE UNIVERSAL SHREDDING SOLUTION FOR OFFICE USE



Up to 10 users

P-6 | Large high security office shredder with sheet capacity of 12 sheets and bin volume of 120 litres







Shredding material:

- Paper with staples and paper clips
- Plastic card
- Foil



The intimus 120 CP6 is designed specifically for discreet and efficient high security document disposal in office environments. Opting for in-office shredding ensures swift disposal of sensitive information, which enhances security and regulatory compliance. Its precise 0,8 x 12 mm cross-cutting accuracy allows for effortless processing of paper documents with staples and paper clips, foils and credit cards. The castors make it easy to move within your workspace, enhancing efficiency. This solution is efficient and space-saving. It streamlines workflow and comes with a 120-litre waste bag. The shredder is perfect for larger offices as it efficiently accommodates high-volume shredding needs due to its size and cutting speed.

KEY FEATURES

- The 0,8 x 12 mm particles adhere to the P-6 high security standard specified in DIN 66399 (ISO/IEC 21964).
- Efficiently processes 10-12 sheets of 80 g/m² paper, including paperclips and staples.
- Boasts a processing speed of up to 315 sheets per minute, ensuring rapid and effective document handling.
- The 310 mm wide feed opening easily accommodates larger documents.
- Capable of securely shredding credit cards and foils, in addition to paper documents.
- Maintains a tranquil work environment with its low operating noise level of 59 dB(A).
- Enhanced mobility facilitated by castors for added convenience, complemented by a sturdy wooden cabinet base.
- Equipped with a spacious and easily removable 120-litre collection bag.
- Features i-control, an intuitive control panel designed to simplify shredding tasks.
- Incorporates a traffic light system (DLS) to prevent overloading.
- Enables effortless document shredding with automatic start/stop function, auto reverse, anti-paper jam technology, bin full sensor, overheat protection and optional automatic oiler.
- Automatic shutdown after 15 minutes of idle time, promoting eco-friendliness and conserving energy.

SPECIFICATIONS

Area of application	Large office
Feed type	Manual
Cutting size paper (mm x mm)	0,8 x 12
Cutting type paper	Cross cut
Security level ISO/IEC 21964 (DIN 66399)	P-6 / T-6 ²⁵ / F-3 / E-5 ³⁵ / F-3
Shredding material	Paper with staples and paper clips, Plastic card, Foil
Waste disposal solution	Metal frame with reusable bag
Intake width (mm)	310
Possible paper formats (DIN)	A3
Sheet capacity (80g/m²)	10 - 12
Throughput	up to 315 sheets/min
Cutting speed (80g/m²) mm/s	130
Bin volume (I)	120
Continuous Running	yes
Noise level (idle operation) dB(A)	59
Motor power consumption (W)	1.000
Power supply (V / Hz)	220-230 / 50
Other voltages available	yes
Product dimensions W x D x H (cm)	54 x 40 x 98
Product weight (kg)	45
Control operation	i-control
Visual status indication for	Ready, Material jam, Door open, Motor overload, Bin full, Oil needed
Automatic start/stop	yes
Auto reverse	yes
Automatic switch-off	yes
Automatic switch-off after x min	15
Paper jam protection	yes
Overheat protection	yes
Overload protection	yes
Bin full sensor	yes
Automatic oiler	optional
Castors	yes
Material machine housing	Wood
Made in Germany	yes
Certificates / Listings	CE, UKCA

- 2 Only ID cards.
- 3 Only plastic cards with electronic chip.
- 5 No splash protection CD and plastic card destruction only with safety glasses.

